

VIM-PLUGIN  
**bash-support.vim**  
 VERSION 3.1

## HOT KEYS

Key mappings for Vim without GUI.

All mappings are only defined for buffers with filetype sh (exceptions: \lbs, \ubs).

All mappings also work for gVim.

Plugin: <http://vim.sourceforge.net>  
 Fritz Mehner (mehner@fh-swf.de)

January 2010

<i>Comments</i>	
\cl	end-of-line comment (n, i, v)
\cj	adjust end-of-line comments (n, i, v)
\cs	set end-of-line comment column (n)
\cfr	frame comment (n, i)
\cfu	function description (n, i)
\ch	file header (n, i)
\ckb	keyword BUG (n, i)
\ckt	keyword TODO (n, i)
\ckr	keyword TRICKY (n, i)
\ckw	keyword WARNING (n, i)
\ckn	keyword: new keyword (n, i)
\cc	toggle comment (n, i, v)
\cd	date (n, i, v)
\ct	date & time (n, i, v)
\ce	echo "<line>" (n, i)
\cr	remove echo (n, i)
\cv	vim modeline (n, i)
<i>Statements</i>	
\sc	case in ... esac (n, i)
\sl	elif then (n, i)
\sf	for in do done (n, i, v)
\sfo	for ((...)) do done (n, i, v)
\si	if then fi (n, i, v)
\sie	if then else fi (n, i, v)
\ss	select in do done (n, i, v)
\st	until do done (n, i, v)
\sw	while do done (n, i, v)
\sfu	function (n, i, v)
\se	echo -e "" (n, i, v)
\sp	printf "%s" (n, i, v)
\sa	array element \${.[.]} (n, i, v)
\sas	array elements \${.[@]} (n, i, v)

(i) insert mode, (n) normal mode, (v) visual mode

+ Linux/U\*\*x only

<i>POSIX Character Classes</i>	
\pan	[ :alnum: ] (n, i)
\pal	[ :alpha: ] (n, i)
\pas	[ :ascii: ] (n, i)
\pb	[ :blank: ] (n, i)
\pc	[ :cntrl: ] (n, i)
\pd	[ :digit: ] (n, i)
\pg	[ :graph: ] (n, i)
\pl	[ :lower: ] (n, i)
\ppr	[ :print: ] (n, i)
\ppu	[ :punct: ] (n, i)
\ps	[ :space: ] (n, i)
\pu	[ :upper: ] (n, i)
\pw	[ :word: ] (n, i)
\px	[ :xdigit: ] (n, i)

<i>Snippets</i>	
\nr	read code snippet (n)
\nw	write code snippet (n, v)
\ne	edit code snippet (n)
\ntl	edit local templates (n)
\ntg	edit global templates (n)
\ntr	reread the templates (n)
\nts	switch template style (n)

<i>Run</i>	
\rr	update file, run script (n, i, v <sup>+</sup> )
\ra	set command line arguments (n, i)
\rc	update file, check syntax <sup>+</sup> (n, i)
\rco	syntax check options <sup>+</sup> (n, i)
\rd	start debugger <sup>+</sup> (n, i)
\re	make script executable <sup>+</sup> (n, i)
\rh	hardcopy buffer (n, i, v)
\rs	settings and hotkeys (n, i)
\rt	set xterm size <sup>+</sup> (n, i, GUI only)
\ro	change output destination (n, i)

<i>Help</i>	
\hb	Bash manual (n, i)
\hh	help (Bash builtins) (n, i)
\hm	manual (command line utilities) (n, i)
\hp	Bash-support plugin (n, i)

<i>Menu(s)</i>	
\lbs	load menus (n & GUI only)
\ubs	unload menus (n & GUI only)

<i>Additional Mappings</i>	
typing	expansion
' '	single quotes around a WORD (n)
""	double quotes around a WORD (n)